

CARGO FREIGHT FORWARDERS



Contents

4 - 5	Securing
6-7	Servicing
8 - 10	Repair
11 - 12	Cutting, driling & grinding
13 - 14	Electrical
15 - 18	Lubrication
19 - 20	Bonding & sealing
21 - 23	Cleaning
24 - 28	Health & safety
29 - 31	Tools







REPAIR



Ratchet Strap 4T W50mm x L9.5m

- 4Tonne
- In accordance with EN 12195-2, GS-approved
- Permitted tensile force LC in the strapping 4000daN
- Recommended tensile load 2000daN

Other sizes and lengths available, Please see full range on website and mobile app.

P.Qty. 1

Art.No. 0713 921 954



Ratchet Strap 0.5T 25mm x 6m

- 0.5 Tonne
- TÜV-approved safety, S hook
- EN12195-2
- Polyester lashing belts
- Pressure ratchet
- 500dAN

P.Qty. 1

Art.No. 0713 92 13



Counter Sunk Self Tapping Screw A2K 6.3 x 50mm

- DIN 7982 galvanised steel, blue passivated (A2K), shape C, H recessed head
- When screwed into a pre-prepared core hole, these screws shape their own counter-thread

Other sizes 6.5mm-120mm in length and 2.2 - 6.3 diameters are available. Please see full range on website and mobile app.

P.Qty. 100

Art.No. 0116 63 50



BONDING & SEALING

CLEANING


HEALTH & SAFETY

TOOLS

Blind Rivet A2K

Large set head, aluminium sleeve, galvanised steel pin.





d x l in mm	Drill hole dia. in mm	Clamping range in mm	d _k in mm	k in mm	dm in mm	Shear fracture load in N	Tensile fracture load in N	Art. No.	P. Qty.
4.8 x 10.0	4.9-5.1	1.5- 6.0	16.0	1.8	2.7	1,470	2,400	0915 048 10	250
4.8 x 17.0	4.9-5.1	6.5-12.5	16.0	1.8	2.7	1,470	2,400	0915 048 17	250
4.8 x 25.0	4.9-5.1	12.0-19.5	16.0	1.8	2.7	1,470	2,400	0915 048 25	250

Storable in ®ORSY




Wing Repair Washer A2K 8.4 x 40 x 2.0mm

- DIN 522, galvanised steel, blue passivated (A2K)
- Other sizes available M3 M16, A2K finish.

Please see full range on website and mobile app.

P.Qty. 100

Art.No. 0411 8 40



Nylock Nut A2K M8

DIN 985, steel I8I, galvanised blue passivated (A2K).

- Hexagon nuts with lower nominal height complying with DIN 985 cannot support test loads as per ISO 898-2
- The strength class designation has two vertical bars added before and after the strength code to differentiate

Other sizes available M3 - M33, A2K and A2C finishes. Please see full range on website and mobile app.

P.Qty. 100

Art.No. 0368 8



Self Drilling Counter Sunk AW 30 Drive Screw 6.3 x 65mm

The self-drilling screw with up to 50% time savings when fastening wood to metal sub-structures.

- Steel, with self-tapping thread
- Countersunk milling head for use with hard and soft woods
- AW drive system
- Enhanced torque transmission

Other sizes 25mm-65mm in length and 3.9 - 6.3 diameters are available. Please see full range on website and mobile app.

P.Qty. 500

Art.No. 0219 116 365



Cable Tie Black

- For quick, problem-free and reliable bundling of cables, cable harnesses, hoses etc
- Tie with inner teeth
- Resistant to bases, oils, greases and motor vehicle fuels
- Safely bundled cables

Size	Art. No.	P. Qty.
4.8 x 178mm	0502 141	
4.8 x 280mm	0502 151	100
4.8 x 360mm	0502 161	100
7.8 x 360mm	0502 181	



Diesel Treatment AR 300ml

- For lubricating passenger car and truck diesel systems
- Prevents deposits from building up in the combustion chamber and injection system
- Improves the lubricating effect of low-sulphur fuels
- Ensures precise diesel injection
- Lowers fuel consumption
- Free from sulphur, phosphorous, metals and acids
- 300 ml is sufficient for 70 litres of diesel.

P.Qty. 12

Art.No. 5861 006 300



Diesel Stabiliser 1000ml

Protects the fuel system against and cleans the fuel system of bacteria, yeast and mould.

- Prevents bacterial growth
- Fights existing acute bacterial contamination
- Neutralises acids forming due to growth of
- Decontaminates fuel systems already affected
- Restores functional reliability

P.Qty. 1

Art.No. 5861 004 001



Rapid Start 300ml

REPAIR

Rapid engine start with proven combination of active agents.

· Quick and reliable at helping with starting problems, particularly in cold and damp weather

P.Qty. 1

Art.No. 0890 11



Ad Blue® 10lt

- For diesel engines with SCR exhaust gas after treatment
- 32.5% watery solution to reduce nitric oxide emissions
- Fulfils Euro 4, Euro 5 and Euro 6 standards. (passenger cars)
- Meets ISO 22241-1 standards
- Mercedes Benz, A 000 583 0107
- BMW Group, 83190441139
- VW/Audi, G 052 910 A2
- Mazda, 0000-AD-002

P.Qty. 1

Art.No. 5861 700 002



Brake Cleaner Pump Dispenser

1000ml

- Unfilled pump spray bottles for simple processing of products from canisters and drums
- Break proof, empty 1 litre container

P.Qty. 1

Art.No. 0891 503 002



Diesel Cure 330ml

Cleans and protects all standard diesel fuel systems used in trucks, in the maritime industry and agricultural machinery/plants and passenger cars.

- · Prevents the growth of bacteria by removing the water from the fuel system
- Binds and neutralises acid condensations
- Protects against corrosion
- Prevents acid from forming
- Suitable for all types of diesel, including biodiesel

P.Qty. 1/24

Art.No. 0893 567 330

5ltr

P.Qty. 1

Art.No. 0893 567 5



BONDING & SEALING

CLEANING

HEALTH & SAFETY

TOOLS



Brake Cleaner Plus 500ml

- For cleaning and degreasing during maintenance and repair work
- Fast flash off behaviour and excellent cleaning performance
- Fast and effective removal of soot, grease, brake dust and oily residues
- Acetone free
- High degree of material compatibility with paints, plastics, seals and rubber
- · AOX and silicone free

P.Qty. 1/24

Art.No. 0890 108 10

1000mlP.Qty. 6

P.Qty. 1

Art.No. 0890 108 100 Art.No. 0890 108 725




Thermo Tacograph Digital Rolls 8m

For digital tachographs:

- High quality thermal paper in accordance with EC Regulation 432/2004, Annex 1B
- Coreless winding to protect the inside of the tachograph and avoid additional waste
- Roll end mark on last 50 cm

P.Qty. 3

Art.No. 0850 100 300



Tachograph Disc EU 125km/h

- Approved for all EC tachographs
- Approved for use throughout the EU
- Manufactured in accordance with DIN ISO 9001
- Rotogravure printing method
- Abrasion resistant
- E1 numbers of new tachograph models are automatically updated on the tachograph discs

P.Qty. 100

Art.No. 0850 061 25

Tachograph Disc EC 125km/h

P.Qty. 100

Art.No. 0850 021 25



SERVICING

Connector Fitting Straight Plastic

Straight passage connector for compressed air control lines.

- Operating temperature: -20°C to +80°C
- Permissible operating pressure max. 20 bar

Other forms also available, elbow and T connectors.
Please see full range on website and mobile app.

Size	Art. No.	P. Qty.
6mm	0885 01 06	
8mm	0885 01 08	10
10mm	0885 01 010	10
12mm	0885 01 012	



Brake Fitting Straight

Quick and easy to assemble and disassemble pipe/hose.

- Few components reduce the chances of leaks.
- Corrosion resistant brass design.
- Cost savings by reducing assembly and repair times.
- Conforms to the international DIN, DOT and SAE regulations

Other sizes available ID M4 - M16 other forms also available. Please see full range on website and mobile app.

Size	Art. No.	P. Qty.
8mm	0885 01 8	5
10mm	0885 01 10	10
12mm	0885 01 12	5



VAKU 40 Body Filler 1800g

Filler for filling and levelling deep uneven surfaces and scratches.

- Specific weight reduced by 30%
- Extremely easy to sand and minimal dust build-up
- Quick-drying
- Heat-resistant up to 80°C

P.Qty. 1/4

Art.No. 0892 604 02



VAKU 70 Fibre Glass Filler 1800g

Glass fibre reinforcement filler for bridging cracks, holes and for repairing glass fibre reinforced plastics.

- Excellent application properties
- Excellent adhesion and stability
- Highly suitable for use on vertical surfaces
- Superb adhesion to iron, steel, aluminium, galvanized and hot-dip galvanized surfaces.
- Ideally suited as knifing filler after repairing GFRP parts with VAKU 80 repair resin.

P.Qty. 1/4

Art.No. 0892 607 02



VAKU 80 Resin 1000g

Laminating resin for repairing larger holes and damage to GFRP parts in conjunction with glass fibre mats and fabric.

P.Qty. 1

Art.No. 0892 608 01



VAKU 90 Glass Fibre Matting 1m²

Fibre matting to be used with VAKU 80 resin.

P.Qty. 1

Art.No. 0892 609 01



BONDING & SEALING

CLEANING

HEALTH & SAFETY

TOOLS



Rust Stop Primer White/Grey 400ml

Active corrosion protection and primer with good adhesive properties on a broad range of substrates, including in conjunction with PU and MS polymer sealing compounds.

- Good adhesive properties
- Adheres to aluminium, plain and galvanised sheet metal, steel, old paintwork etc
- Dries quickly
- Can be painted over after just 10-15 minutes depending on layer thickness
- Temperature-resistant up to 80°C, short-term resistance up to 140°C

P.Qty. 1/12

Art.No. 0893 210 1



Rust Stop Primer
Red/Brown 400ml

P.Qty. 1/12

Art.No. 0893 210 2



Lacqure Spray R9005 Jet Black 600ml

P.Qty. 1/6

Art.No. 0893 339 005



Lacquer Spray R9005 Matt Black 400ml

Durable nitro-alkydal quality at a high technical level.

- High grade nitro-alkydal quality
- Quick drying
- High gloss
- Can be painted over all common primers, filler products, and paint types
- Temperature resistant up to +80°C

Other colours and finishes also available in matt, satin, silk and gloss based on RAL colour charts. Please see full range on website and mobile app.

P.Qty. 1/24

Art.No. 0893 329 005




Zinc Spray Light 400ml

For visual enhancement, repair and protection against corrosion of metallic surfaces.

- High degree of safety thanks to optimum weathering protection
- Versatile use with adjustable spray head
- High degree of resistance to running
- High degree of wear resistance

P.Qty. 1/12

Art.No. 0893 114 114



Gaffer Tape 50mm x 50m

Plastic coated universal gaffer adhesive tape.

- Extremely high initial adhesive strength
- Can be torn off by hand
- Can be used for many types of repairs

Other colours available. Please see full range on website and mobile app.

P.Qty. 1

Art.No. 0874 100 200



Self Vulcanising Tape 19mm x 10m

Enables waterproof and water impermeable sealing of a variety of materials.

- High dielectric strength
- The tape is ideal for insulating cables and electrical lines.
- Highly compatible with PE, PVC, butyl, neoprene etc.
- Can be used in a wide range of sectors, e.g. the vehicle and electrical sectors

P.Qty. 1

Art.No. 0985 077 1



Tarpulin Repair White 32pcs

Mobile, self-adhesive repair system for defective truck tarps, tents, covers etc.

- Ready to use patches with high bonding strength
- Wide range of colours
- UV-resistant
- Resistant to washing brushes

Contents:

- 3 patches 300 x 200 mm
- 3 patches 200 x 200 mm
- 4 patches 300 x 100 mm
- 4 patches 200 x 100 mm
- 6 patches 100 x 100 mm
- 6 patches 200 x 50 mm
- 6 patches 100 x 50 mm

Other colours available:

Silver, Ivory, Zinc yellow, Broom yellow, Pure orange, Deep orange, Fire red, Ultramarine, Light blue, Emerald green, Yellow green, Nato grey, Light grey, black and assorted.

Please see full range on website and mobile app.

P.Qty. 1

Art.No. 0880 600 290





Replast Easy

For the repair of bumpers, spoilers, radiator grills, trims, plastic holders and plastic technical components.

- All types of plastic parts
- Quick to harden
- Excellent chemical resistance to liquids such as petrol, many lubricating oils and ethyl acetate
- Flexible after cured

Product	Art. No.	P. Qty.
Re-Plast Adhesive Set	0893 500 0	1
Re-Plast Plastic Cleaner 500ml	0893 500 1	1
Re-Plast Plastic Primer 200ml	0893 500 2	1/12
Re-Plast Plastic Adhesive Fast 50ml	0893 500 3	1/6
Re-Plast Universal 50ml	0893 500 4	1/6
Re-Plast Plastic Adhesive Super Fast 50ml	0893 500 5	1/6
Mixing Tubes for Re-Plast Adhesives	0891 486	25





LUBRICATION BONDING & SEALING

CLEANING

HEALTH & SAFETY

TOOLS



Flap Disc Domed 115mm - 40g

Synthetic corundum, especially suitable for machining alloyed and non-alloyed steel.

- For free hand grinding with electric and compressed air angle grinders
- Circumferential speed max. 80 m/s
- Cotton fabric
- Glass fabric backing disc
- Abrasive cloth (synthetic corundum)
- High rate of material removal

P.Qty. 10

Art.No. 0579 400 314

Flap Disc Domed 115mm - 60g

P.Qty. 10

Art.No. 0579 400 316



Standard Cutting Disc Black A2 1mm x

115mm

Especially for thin walled pipes and profiles, thin metal sheets, bodywork panels etc.

- Synthetic resin bonded
- Standard cutting capacity
- Thin for precise, virtually burr and chatter-free cuts (very clean and cool cutting surfaces)
- Low noise development and high break resistance

P.Qty. 50

Art.No. 0669 031 150



Zebra Speed Cutting Disc Blue Steel 1mm x 115mm

Especially for thin walled pipes and profiles, thin metal sheets, bodywork panels.

- Extreme cutting capacity (very short cutting times) with very long service life
- Extremely thin for precise, virtually burr and chatter free cuts (very clean and cool cutting surfaces)
- Low noise development and high break resistance

P.Qty. 1/25

Art.No. 0664 101 150

2mm x 230mm

P.Qty. 1/25

Art.No. 0664 102 302



Standard Cutting Disc Blue Steel 2mm

x 100mm

High performance standard disc with excellent performance values.

- Synthetic resin bonded, fibrous material reinforced standard cutting disc
- For free hand cutting with electric or pneumatic angle grinders
- High break resistance
- Max. circumferential speed 80 m/s
- Low noise development and high break resistance

P.Qty. 1/25

Art.No. 0669 101 002



Zebra Speed Cutting Disc Green A2 Stainless Steel 1mm x 76mm (Bore 10mm)

Synthetic corundum, especially suitable for machining alloyed and non-alloyed steel.

- Extreme cutting capacity (very short cutting times) with very long service life
- Extremely thin for precise, virtually burr and chatter-free cuts (very clean and cool cutting surfaces)
- Low noise development and high break resistance
- Free of iron, chlorine and sulphur (≤ 0.1%)

P.Qty. 1/50

Art.No. 0664 130 761

1mm x 115mm

P.Qty. 25

Art.No. 0664 131 150





SERVICING

HSS Drill Assortment DIN338 155pcs

Cold formed assembly drill bits for working in steel, tip angle 118 degree.

 HSS twist drill for general use in steel up to 800 N/mm²

Contents: 155 pieces

10 each of: Ø 1.0 x 0.5 mm; Ø 1.5 x 0.5 mm; Ø 2.0 x 0.5 mm; Ø 2.5 x 0.5 mm; Ø 3.0 x 0.5 mm; Ø 3.5 x 0.5 mm; Ø 4.0 x 0.5 mm; Ø 4.5 x 0.5 mm; Ø 5.0 x 0.5 mm; Ø 5.5 x 0.5 mm; Ø 6.0 x 0.5 mm

5 each of Ø 6.5 x 0.5 mm; Ø 7.0 x 0.5 mm; Ø 7.5 x 0.5 mm; Ø 8.0 x 0.5 mm; Ø 8.5 x 0.5 mm; Ø 9.0 x 0.5 mm; Ø 9.5 x 0.5 mm; Ø 10.0 x 0.5 mm; Ø 10.5 x 0.5 mm

P.Qty. 1

Art.No. 5964 062 500





Heat Shrink Connectors

Semi-transparent heat shrink tubing.

- Straightforward visual monitoring of the connection
- 40% quicker shrinking behaviour
- Low shrinking temperature of +100°C
- Low risk of damage for connector and cable insulation

Description	Art. No.	P. Qty.
Red 0,5 1,5Smm	0555 516 1	
Blue 1,5-2,5Smm	0555 516 2	25
Yellow 4.0-6.0Smm	0555 516 4	

Heat Shrink 100mm x 9.5 x 4.8mm

Heat shrink tubing, thin walled.

- Shrink rate 2:1 without internal adhesive
- Length: 100 mm
- Other sizes avaiable from ID 2.4mm -25.4mm

Please see full range on website and mobile app.

P.Qty. 25

Art.No. 0771 009 50

Heat Shrink Tubing Kit 130pcs

For electrical wire repair shrink rate 2:1 without internal adhesive.

P.Qty. 1

Art.No. 5964 077 100



Heat Shrink Solder Connectors

Transparent heat shrink tubing.

Straightforward visual monitoring of the connection

Description	Art. No.	P. Qty.
Red 2.7mm	0555 923 1	
Blue 4.5mm	0555 923 2	25
Yellow 6.0mm	0555 923 3	



Head Light Bulb H7
PX26D 24V 70W

P.Qty. 1/10

Art.No. 0720 114 1



Halogen H3-PK22S-24V-70W

P.Qty.10

Art.No. 0720 111 2



Socket R5W-BA15S-24V-5W

P.Qty. 10

Art.No. 0720 140 2



Socket R10W-BA15S-24V-10W

P.Qty. 10

Art.No. 0720 141 2



BONDING & SEALING LUBRICATION

CLEANING

HEALTH & SAFETY

TOOLS



Brake & Indicator P21W-BA15S-24V-

P.Qty. 10

Art.No. 0720 132 2



Capless Socket W2,1X9,5D-24V-5W

P.Qty. 10

Art.No. 0720 162 2





Brake & Tail BAY15D-24V-21/5W

P.Qty. 10

Art.No. 0720 134 2





For HGVs and coaches/buses.



2 x P21/5W, 2 x P21W, 2 x R5W, 1 x R10W, 1 x C5W, 1 x 10 watt festoon, 1 x W5W, 2 x T4W, ATO fuses (1 x 5 A, 2 x 7.5 A, 2 x 10 A, 2 x 15 A, 1 x 20 A)

P.Qty. 1

Art.No. 0720 962 7





For HGVs and coaches/buses.

Contents:

2 x P21/5W, 2 x P21W, 2 x R5W, 1 x R10W, 1 x C5W, 1 x 10 watt festoon, 1 x W5W, 2 x T4W, ATO fuses (1 x 5 A, 2 x 7.5 A, 2 x 10 A, 2 x 15 A, 1 x 20 A)

P.Qty. 1

Art.No. 0720 962 4



H7 / H1 Emergency Bulb Kit 24v 15pcs

For LCVs and coaches/buses.

Contents:

PY21W, P21/5W, P21W, R5W, C5W, W5W, T4W, ATO fuses (10 A, 15 A, 20 A) MINI fuses (10 A, 15 A, 20 A).

P.Qty. 1

Art.No. 0720 962 71







SECURING



Vehicle Wire Black 2 x 1,55mm

Nominal voltage: U $^{\sim}$ = 50 V, U- = 60 V.

- PVC external sheath, black
- Free of silicone, cadmium and lead
- Proof of Performance (Pub)
- Complies with DIN/ISO 6722

Other diameters and colours avaiable. Please see full range on website and mobile app.

P.Qty. 25

Art.No. 0770 202





AAA Battery

Unbeatable battery power for energy-intensive applications

- · High capacity and long service life
- Longer operating times and constant energy output at highest level
- Good storage stability
- Very low self-discharge with shelf life of 5 years

Other battery types available . Please see full range on website and mobile app.


P.Qty. 4

Art.No. 0827 111

AA Battery

P.Qty. 4

Art.No. 0827 112







BONDING & SEALING

CLEANING

HEALTH & SAFETY

TOOLS



Ultra 2040 PTFE Lubricant 500ml

PTFE Lubricant, penetrating and water displacing agent.

- Loosens seized and rusted parts
- 360° valve
- Silicone free
- Removes moisture from electrical systems
- Strong water displacement effect

P.Qty. 1/24

Art.No. 0893 085 500

Ultra 2040 PTFE Lubricant 5lt

P.Qty. 4

Art.No. 0890 085 5





Rost Off Plus 300ml

High quality rust remover plus lubricating properties thanks to new additive technology (OMC2)

- Excellent capillary activity
- Optimum creeping properties
- Reduces friction
- Corrosion-protection additives for optimum corrosion protection
- Compatible with rubber and plastic

P.Qty. 1/24

Art.No. 0890 200

Rost Off Plus 5lt

P.Qty. 1

Art.No. 0890 300

Rost Off Ice 400ml

High quality rust remover with cracking effect due to extreme cooling and excellent creep properties.

- By cooling the material surface, e.g. on a stud bolt, down to -40 °C, micro-fine cracks appear in the corrosion layer at the connection points. These crack open the rust, ensuring better penetration of the active agent
- Excellent capillary action

P.Qty. 1/12

Art.No. 0893 240



Rost Off Black 500ml

Highly effective graphite based rust remover, which can be used as rust remover, lubricant, corrosion protection, and cleaner.

- Forms a pressure resistant lubricating film
- Resistant to temperatures from -30°C to 450°C (emergency running properties due to graphite)
- Moisture repellent, silicone-free, and does not
- Excellent capillary action

P.Qty. 1/12

Art.No. 0890 200 500



HSW100 White Grease 500ml

High quality white lubricating grease.

- Anti rust effect
- Guarantees lasting lubrication
- The special 360° valve allows use in hard-toreach places

P.Qty. 1/12

Art.No. 0893 104 500

REPAIR



HHS2000 Adhesive Grease 500ml

Partly synthetic oil that is extremely resistant to high pressures.

- · Highly adhesive
- Extraordinarily tear-proof lubricating film with excellent noise and vibration dampening
- Good creep properties
- Excellent lubricating properties for small gaps

P.Qty. 1/12

Art.No. 0893 106



HHS 5000 High Temperature 500ml

Extremely temperature resistant, fully synthetic penetrating oil with PTFE.

- Penetrates through to where the lubricating oil is required (excellent creep)
- Contains solid lubricant PTFE
- Lasting anti-slip protective film under high temperature loads
- Provides reliable and lasting protection against corrosion
- Does not oxidise (gum up) up to +200°C, even up to +250°C for short periods
- Temperature application range: -20°C to +200°C

P.Qty. 1/12

Art.No. 0893 106 3



HHS Lube Extreme Pressure 500ml

EP long life spray grease with a high protective factor against weathering and environmental influences.

- Low adhesion of dust and dirt
- Extends lubrication intervals
- Outstanding corrosion protection
- Resistant to oxidation
- High pressure load of lubricated parts
- EP (extreme pressure) additives for extremely high pressure resistance
- Outstanding noise and vibration damping

P.Qty. 1/12

Art.No. 0893 106 5



BONDING & SEALING

CLEANING

HEALTH & SAFETY

TOOLS



HHS Dry Lube 400ml

Shear proof dry synthetic wax with PTFE.

- Dry synthetic wax
- Lubricant with good centrifuge resistance on fast turning and rotating parts
- Low dirt adhesion
- Outstanding corrosion protection
- Outstanding penetration creep and penetration of gaps
- Penetrates into the smallest spaces
- Good dry running properties and temperature resistance

P.Qty. 1/12

Art.No. 0893 106 6



Silicone Spray 500ml

Ensures long-lasting protection, preservation and insulation of exterior and interior plastic, rubber and metal parts; good lubricating properties.

- Rubber parts are protected, do not become brittle and do not freeze or stick
- Anti-static effect (dust-repellent)
- Sliding roof and seat rails, seat belt rollers etc. run smoothly
- Prevents squeaks and creaks between dissimilar materials, e.g. metal/plastic etc.

P.Qty. 1/12

Art.No. 0893 221



Silicone Grease 500ml

Glass like transparent, extremely lubricating and insulating silicone grease that displaces water.

- Good protection against moisture and corrosion
- Extremely good at displacing water
- Good lubricating properties
- Outstanding sliding properties on virtually all surfaces
- Very high electric resistance

P.Qty. 1/12

Art.No. 0893 223





CU 800 Copper Grease 300ml

Highly adhesive lubricating, separating and anti-corrosive copper spray that is extremely resistant to high temperatures and high pressures.

- Temperature application range from -40°C to +1200°C for dry lubrication
- Resistant to water, diluted alkalis and diluted acids
- High, long-lasting lubrication
- Provides long-lasting protection against burning-on and seizing, galling, wear, corrosion and frictional corrosion

P.Qty. 1/12

Art.No. 0893 800

CU 800 Copper Grease 1kg

P.Qty. 1

Art.No. 0893 800 2



EP2 Grease 400g

Multi grease with extreme pressure and anti wear performance.

- Lithium base
- NLGI Class 2
- Suitable for high load conditions
- For use in anti-friction and plain bearings subject to high load

P.Qty. 1/12

Art.No. 0893 870 004



5th Wheel Grease 12.5kg

Heavy duty applications where adhesion, shock loading and good corrosion protection is needed.

- Ideal for 5th wheels, bucket pins and heavy earth moving equipment.
- Temp range -20 to 140°C
- NLGI Class 2/3

P.Qty. 1

Art.No. 0893 105 125



BONDING & SEALING

CLEANING

HEALTH & SAFETY



Bond and Seal

Elastic PU adhesive and sealant for a wide range of applications.

- Outstanding adhesive strength on a wide range of materials and surfaces.
- Approved for use with foodstuffs (ISEGA) certificate)
- Highly elastic
- Absorbs vibrations and sounds
- Can be sanded /painted
- Following skin formation, can be mechanically machined and painted over without surface activation (perform preliminary tests to check paint compatibility).

Other colours and sizes available. Please see full range on website and mobile app.

Description	Art. No.	P. Qty.
Bond and Seal KD White 300ml	0890 100 1	1/12
Bond and Seal KD Black 300ml	0890 100 3	1/12
Bond and Seal White Pouch 600ml	0890 100 181	1/20



Silicone Acetate E5 Pro Transparent 310ml

For connecting, expansion and sealing joints indoors and outdoors, such as wall or ground connections. For glazing and window sealing of expansion joints. Sealing joints between glazing units and load components (frames, beams, posts). Suitable for cold climates.

- Resistant to ageing, weather and UV
- Paint compatible, test before use
- Coloured version is bitumen proof
- Slight discolouration is possible in some applications

Other colours available. Please see full range on website and mobile app.

P.Qty. 1/12

Art.No. 0892 845 31

Silicone Acetate E5 Pro Black 310ml

P.Qty. 1/12

Art.No. 0892 845 351





Super Glue Fast 20g

For bonding metal, plastic and rubber parts with and to each other in a matter of seconds.

- Patented special cap
- One handed operation
- Prevents you from gluing the tip
- Bonds in seconds
- Solvent free

P.Qty. 1/100

Art.No. 0893 09

Super Glue 50g

P.Qty. 1

Art.No. 0893 090



Double Sided Tape 25mm x 25m

Double sided adhesive tape with polyethylene backing and acrylate adhesive.

- Excellent compatibility with a range of common surfaces
- Bonds a range of different materials such as wood, metal, glass, stone as well as Plexiglas and Makrolon
- UV and moisture resistant
- The adhesive tape can be used both indoors and outdoors
- Resistant to ageing

P.Qty. 1

Art.No. 0894 918

Heavy Duty Spray Adhesive 500ml

For permanent and temporary bonding of substrates.

- Variable spray nozzle
- High strength
- CFC and halogen free
- Foaming formulation.

P.Qty. 1/12

Art.No. 0893 100 80



DOS Medium Strength Thread Locker 50g

Screw retainer and sealing compound with one handed dispensing system.

- Medium strength is removable with regular tools
- Excellent heat resistance
- Universal products with wide range of applications
- Resistant to a large number of alkaline solutions, gases, solvents, oils and fuels

P.Qty. 1

Art.No. 0893 243 050



DOS High Strength Thread Locker 50g

P.Qty. 1

Art.No. 0893 270 050



DOS Medium Strength Pipe Sealant 50g

For sealing all metallic pipe couplings and fittings with conical/cylindrical threads in line with DIN 2999.

- Immediate leak tightness
- Securely tightened connections can be loaded immediately up to approx
 5 bar; after final hardening, up to the bursting pressure of the pipes
- Neutral behaviour with most industrial liquids and gases
- Easy to remove
- Solvent free and silicone free
- Quick drying
- Heat resistant up to 80°C

P.Qty.

Art.No. 0893 577 050



Super Silicone RTV Black 200ml

High quality adhesive and sealing compound for use in the automotive sector.

- Excellent resistance to chemicals
- Can also be used in critical areas in which the seal comes into contact with various liquids
- Outstanding resistance to engine oil and transmission oil, refrigerant and anti-freeze agent
- Non acidic hardening system
- Non corrosive, therefore has no negative impact on electronic components and on lambda probes

P.Qty. 1/12

Art.No. 0893 321 10



Active Interior Cleaner 500ml

Special cleaning foam with antistatic additive for the entire vehicle interior.

- Cleans nicotine, dirt and dust from all painted and plastic parts, glass surfaces and upholstery
- Does not run off vertical surfaces, i.e. the agent stays where it needs to act
- Pleasant, fresh aroma in the interior at all times
- Silicone free

P.Qty. 1/24

Art.No. 0893 033



BONDING & SEALING

CLEANING

HEALTH & SAFETY

TOOLS



Cockpit Care 500ml

Interior care for plastics, with fruity scent.

- High quality carnauba waxes together with jojoba oil provide optimum care
- Freshens up colours and gives them a satiny
- Plastics keep their elasticity.
- Eliminates squeaks and creaking noises
- Protects against ageing and stops the material becoming brittle
- Anti-static
- Biodegradability> 95%
- AOX and silicone free

P.Qty. 1/12

Art.No. 0893 473 1



Cockpit Cleaning Spray 500ml

Provides outstanding cleaning power and gentle care in a single step.

- For universal use on all plastic components in the vehicle interior
- Freshens up colours
- Gives them a satiny gloss
- Anti-static effect
- Citrus scent

P.Qty. 1/24

Art.No. 0890 222 1




Industry Cleaner 500ml

High quality special cleaner for removing adhesive tape residue, labels and film stickers as well as stubborn dirt. NSF certified.

- Simple removal of adhesive residue, labels, and adhesive tape
- Dissolves stubborn dirt such as wax, rubber abrasion, silicone residues, permanent marker, oil and grease
- Gentle on materials
- Delicate surfaces such as aluminium, brass and stainless steel are not attacked

P.Qty. 1

Art.No. 0893 140



ESSENTIAL CAR CLEANING



Screen Wash Ready Mixed 5lt

- Protects down to -20°c
- Crystal clear cleaning

P.Qty. 1

Art.No. 0892 332 105



Screen Wash Plus 5lt

With antifreeze formulation.

- Improved frost protection
- Reliably and effectively prevents windscreen and headlamp washer units from freezing
- Crystal clear vision despite winter dirt such as road salt and other greasy road dirt
- Does not attack polycarbonate glass
- Suitable for fan nozzle

Other sizes available. Please see full range on website and mobile app.

P.Qty. 1

Art.No. 0892 332 850



REPAIR







Summer Screen Wash 5lt

Highly concentrated windscreen cleaner 1:100 dilution.

- Contains special cleaning substances
- Prevents smear formation
- Eliminates glare and lubricant films
- Ensures a crystal clear view
- Removes adherent insects and other soiling

Other sizes available. Please see full range on website and mobile app.

P.Qty. 1

Art.No. 0892 333 5

Micro Fibre Cloths 40 x 40cm

Ideal for maintenance cleaning and detailing vehicles.

- Cleans lint free with no streaks
- Attracts dust due to static effect

P.Qty. 3

Art.No. 0899 900 132

2 Ply White Cleaning Centre Feed Paper 22 cm x 171m

P.Qty. 6

Art.No. 0899 800 478

2Ply Blue Cleaning Paper 35cm

x 380m

P.Qty. 2

Art.No. 0899 900 401

3 Ply Blue Cleaning Paper 37cm

x 380m

P.Qty. 1

Art.No. 0899 800 825



BONDING & SEALING

CLEANING

HEALTH & SAFETY

TOOLS





SKIN Dispenser

P.Qty. 1

Art.No. 0891 900 5

SKIN Hand Cleaner Super 2000ml

Hand cleaner for very heavy soiling with plastic exfoliating particles.

- · Gentle on the skin but with excellent cleaning properties
- Free from solvents and soap
- Moisturising ingredients prevent skin irritation
- Dermatologically tested
- Alkali and silicone free

Other SKIN range products available for a complete SKIN care system. Please see full range on website and mobile app.

P.Qty. 1

Art.No. 0890 600 605





SKIN Hand Cleaning Foam 200ml

Hand cleaner for heavy soiling. Flexible hand cleaning without water.

- · Cleans hands without the need for water
- Simply spray on, rub hands together, and wipe off
- Leaves a thin protective film on the skin
- Prevents cracked skin, even in cold weather
- Dermatologically tested
- Solvent-free, soap-free

P.Qty. 1/12

Art.No. 0890 600 302

Industrial Hand Wipes 72pcs

For thorough and fast cleaning with pumice beads.

- Ideal for daily use or for use on the go
- · Removes extremely heavy contamination such as oils, greases, adhesive, paints, tar and lubricants thoroughly and gently
- Gentle hand cleaning
- Lasting moisturisation and pleasant, fresh fragrance

P.Qty. 1/6

Art.No. 0890 900



Hand Cleaner 4000ml

For thorough and fast cleaning with pumice beads.

· Removes extremely heavy contamination such as oils, greases, adhesive, paints, tar and lubricants thoroughly and gently

Art.No. 0893 900 099



Dispenser System

P.Qty. 1

Art.No. 0891 901





Black Nitrile Gloves

Liquid tight disposable nitrile glove.

- Foodsafe
- Silicone free manufacturing process
- Free of allergenic latex proteins
- Powder free

Size	Art. No.	P. Qty.
М	0899 470 370	
L	0899 470 371	100/1000
XL	0899 470 372	



Blue Nitrile Gloves

Liquid-proof, food-safe disposable glove.

- Powder free
- Silicone free manufacturing process
- In practical disposable dispenser

Size	Art. No.	P. Qty.
М	0899 470 01	
L	0899 470 02	100/1000
ΧI	0899 470 03	



Latex Gloves Powder Free

Liquid tight disposable latex gloves.

- Liquid tight, food safe disposable glove
- Silicone free manufacturing process
- Powder free

Size	Art. No.	P. Qty.
М	0899 470 351	
L	0899 470 352	100/1000
XL	0899 470 353	



Split Leather Glove Size 10

Robust work glove from split leather.

- Backs of hands made from heavy cotton fabric
- Knuckle guards and fingertips made from split leather
- Rubberised cuffs
- Double stitched
- Cotton half lining
- Good resistance to abrasion and cuts

P.Qty. 1

Art.No. 0899 400 251



Leather Glove Size 10

Rugged work gloves made from high-quality fullgrain cowhide.

- Good flexibility and grip
- Backs of hands and cuffs made from heavy cotton fabric
- Backs of hands elasticated for improved safety
- Knuckle guards and fingertips made from full-grain cowhide
- Index finger made completely from full-grain cowhide
- Double stitched throughout
- Cotton half lining

P.Qty. 1/12

Art.No. 0899 402



Mechanics Glove

Universal glove with good mechanical resistance and special surface texturing for excellent dry and wet grip.

- Outstanding flexibility for fine assembly work
- Good mechanical resistance
- Special surface texturing for outstanding wet and dry grip
- Skin friendly, seamless knitted nylon lining
- High quality natural latex coating with open backs of hands for good breathability

Size	Art. No.	P. Qty.
9	0899 400 530	
10	0899 400 531	1/6
11	0899 400 532]



BONDING & SEALING

HEALTH & SAFETY

TOOLS



Reflective Warning Tape Red 50m

Type III (retro-reflective).

- With ECE approval, can be used without special permit
- Complies with ECE 104
- Self-adhesive
- Very thin single layer film

Other colours and sizes available. Please see full range on website and mobile app.

P.Qty. 1

Art.No. 0812 44 73



Reflector 94 x 44mm

Self adhesive reflector for light repair.

Colour	Art. No.	P. Qty.
Red	0812 21 1	
White	081221 2	10
Yellow	081221 3	



Cone 500mm

Routing cone base made from recycled material with tilt-prevention edges.

- Cone body made from HDPE
- Day-glow paint with white painted rings

Notice - Not to be used for road traffic

P.Qty. 1

Art.No. 0993 899 500



LIGHT THE WAY

Beacons Amber

- For 12 and 24 Volt
- Homologated ECE R65 and ECE R10

P.Qty. 1

Flood Lights

Bi-voltage 10-30 Volt

- Over 100'000 hours life time
- Housing in mineralized resins carbon
- IP 6K9K. European ECE R10 homologation
- Delivered with German hermetic connection and 25 cm cable
- Screw mounting stainless steel screws

P.Qty. 1

Beacons Blue

- Made in Switzerland
- For 10 and 30 Volt
- Homologated ECE R65 and ECE R10

P.Qty. 1



Flat 10/30v

Art.No. 0812 420 300



Screw Mount 10/30w

Art.No. 0812 420 301



Magnetic Mount 10/30w

Art.No. 0812 420 303



Pipe Mount 10/30w

Art.No. 0812 420 304



6 LED 120 x 90mm 12w Art.No. 0812 45 360



6 LED 110 x 110mm 12w Art.No. 0812 45 361



4 LED 90 x 90mm 9w

Art.No. 0812 45 362



Screw Mount XENON 10/30v

Art.No. 0812 42 034



Magnetic Mount XENON 10/30v

Art.No. 0812 42 035



Pipe Mount XENON 10/30v

Art.No. 0812 42 036



XENON Bulb for beacons

Art.No. 0812 42 037

SERVICING



Drum Toppers 56cm Pack of 5

White drum topper to absorb spills and splashes.

P.Qty. 1

Art.No. 0899 900 292



Waste Bag Extra Strong 700 x 1100 x 0.04 Blue

120lt refuse bag.

- Extra strong
- Polyethylene (PE)

P.Qty. 15

Art.No. 0899 800 555



Wheel Nut Indicators

More types, colours and sizes available. Please see full range on website and mobile app.

P.Qty. 100

Art.No. 0879 000 030





MICRO ABSORBER MIKRO ABSORBER

Absorbent Granules 10KG

- Highly absorbent
- 1 kg oil binding granules bind approx. 0.9 litres oil (Westinghouse)
- The fine granule capillary system encapsulates the absorbed material and does not release it
- Can be used for all liquids, meaning it is suitable even for acid, alkaline and water leaks
- Can be used inside and outside
- Granules remain hard even after absorbing liquids
- Non-slip

P.Qty. 1

Art.No. 0890 61

3000 V FFP3 NR D Fold Flat Mask

Practical design that folds completely flat.

- Hygienic individual packaging
- Exhalation valve ensures a pleasant microclimate inside the mask
- Low breathing resistance
- Nosepiece for a better grip
- Adjustable head strap
- Can be used together with Würth safety glasses for optimum protection

Other masks available. Please see full range on website and mobile app.

P.Qty. 10

Art.No. 0899 110 525



Absorbent Pads 100pcs

Absorbs liquids up to 12x its own weight.

- Can be used for all types of liquids, for example, anti-freeze, washing water, oils
- More efficient than conventional binding agents
- Perforated for quick and easy use

P.Qty. 1

Art.No. 0899 900 212

Absorbent Roll 110pcs

P.Qty. 1

Art.No. 0899 900 213



BONDING & SEALING

CLEANING

HEALTH & SAFETY

TOOLS



Alcohol Test Kit (Pack of 2)

Disposable breathalyser used to measure blood alcohol content from a breath sample.

- The unique indicators on the breathalyser represent the most common limits in Europe and the United Kingdom, including the new scottish lower limit.
- 0.2% BAC for the Irish Professional Driver and Eastern Europe Limit.
- 0.5% BAC for the Irish, Scottish and Continental Europe limit.
- 0.8% BAC for the English and Welsh limits.

P.Qty. 1

Art.No. 5988 000 107



BS First Aid Kit Small 90 pcs

- · Complies to the new British standard for statutory First Aid Kits in the workplace
- For peace of mind, the provision of a kit with this updated content is now the only clear and definitive way for employers to demonstrate they are serious about meeting their legal obligations

1 x burn dressing, 20 x saline cleaning wipes, 1 x conforming bandage, 2 x eye pad dressing, 2 x finger dressing, 1 x foil blanket, 1 x guidance leaflet, 1 x microporous tape, 6 x nitrile glove, 40 x washproof assorted plasters, 1 x resuscitation shield, 6 x safety pins, 5 x sterile dressings in two sizes are complete with conforming stretch bandage, 2 x triangle bandage and 1 x universal shears.

P.Qty. 1

Art.No. 0899 520 168

FREQUENTLY BOUGHT TOGETHER



High Vis Vest Yellow Class 2 (Universal)

This hi-vis vest is suitable for both commercial and private use.

- · Fluorescent fabric, all round reflective
- Universal size. Can be adjusted to any size using a double ring fastener
- EN ISO 20471, class 2 standard
- Carrying requirement in private and business cars
- Also available in orange M002 022 999

P.Qty. 1

Art.No. M002 038 999



High Vis Trousers Yellow Class 2 (Large)

Robust and reflective high visibility protective trousers. Featuring practical pockets and CORDURA® knee reinforcements.

- 2 front pockets, 2 holster pockets, thigh pocket, rule pocket and 2 back pockets
- Extra wide belt loops
- All round reflective strips made of high quality 3M Scotchlite material
- EN ISO 20471: Category 1/2 certified
- Available in sizes 46 to 60 (\$ to XXL) also available in orange

P.Qty. 1

Art.No. M010 043 052

HIGH QUALITY HIGH VISIBILITY SAFETY CLOTHING



High Vis Trousers Yellow Class 1 (Large)

These trousers offer optimum wear comfort. The functional and resistant fabric ensures well-being at work.

- PU coated, windproof, watertight (3000 mm WC)
- 2 front pockets
- Reflective 3M Scotchlite strips
- Taped seams, hem with elasticated drawstring, adjustable hem
- EN ISO 20471 class 1, EN 343
- · Available in sizes S to 3XL also available in orange. Please see full range on website and mobile app

P.Qty. 1

Art.No. M010 041 002



High Vis Rain Jacket Yellow Class 3 (Large)

All rounder with an extended parka fit. Windproof and watertight high-visibility safety rain jacket to protect you whatever the weather!

- PU-coated, windproof, watertight (3000 mm WC), concealed zip
- 2 side pockets with press stud fastening
- Reflective 3M Scotchlite strips
- Welded seams, hood with drawstring, elasticated cuffs
- EN ISO 20471 class 3, EN 343
- Available in sizes S to 3XL also available in orange. Please see full range on website and mobile app

P.Qty. 1

Art.No. M009 049 002



High Vis Soft Shell Jacket Yellow Class 3 (Large)

Practical and functional high-visibility protective softshell jacket for maximum comfort. Versatile thanks to removable sleeves and extended back.

- Windproof and water-repellent (8000 mm water column)
- 2 front pockets, breast pocket with zip
- 3M reflective strips on the sleeves, torso and shoulder
- Fleece on inside of the collar, drawstring on hem
- EN ISO 20471 class 3
- Available in sizes S to 3XL also available in orange. Please see full range on website and mobile app

P.Qty. 1

Art.No. M041 047 002



BONDING & SEALING

CLEANING

HEALTH & SAFETY

TOOLS



Art.No. 0693 081 200



Retractable Knife

Solid 3 component design with metal-plastic handle and automatic blade locking

- Secure against extension
- Clamping wheel fixes the blade in the stainless steel guide

P.Qty. 1

Art.No. 0715 66 277

Angle Grinder 18V EWS 4,0Ah

Handy battery powered angle grinder for mobile applications up to a disc diameter of 115 mm. In combination with additional protective hood, 125 mm diameter also possible.

- Four pole motor
- Similar to all wheel drive, better power distribution than with conventional two pole motor.
- Can be operated with only one hand
- Flexible applications, even in inaccessible places.
- Overload and restart protection
- Comes complete with 2 batteries, charger and

Don't forget your adapter plug (0720 177 06)

P.Qty. 1

Art.No. 0700 235 4





Cordless Drill Screwdriver BS18-A EC Compact 18v

Lightweight, powerful lithium-ion battery-powered screw driller for medium-duty screwing and drilling work.

- · Long motor service life
- Efficient, low-maintenance, brushless EC motor
- · LED light on the battery socket
- Anti-recoil protective function. Precision torque limiter.
- Detects if the device has been unexpectedly blocked, and stops the motor instantaneously in order to prevent injury. Indicated by multiple flashing of white LED on the battery block.
- · Stops the motor and prevents over-ratcheting. This protects the machine and the material being
- Comes with 2 x 4Ah batteries, charger, bits and

Don't forget your adapter plug (0720 177 06)


P.Qty. 1

Art.No. 5700 507 2



Battery Jump Pack 12/24V-700A

Professional jump starter for mobile slave starting of vehicles with 12V and 24V electrical system.



- Fully insulated, angled solid clamps with long, highly flexible cables
- Display for checking the charge status of the internal battery and vehicle batterv
- Acoustic reverse polarity warning
- Protection against power surge.

P.Qty. 1

Art.No. 0772 960



Torque Wrench 300 - 1000Nm

Switchover square drive

- Accuracy of \pm 3 % to the set value, in accordance with DIN EN ISO 6789:2003
- Simple and precise setting by turning the handle
- Acoustic and tangible torque triggering prevents over-tightening of bolts
- With calibration certificate
- Supplied in a plastic box

P.Qty. 1

Art.No. 0714 71 25





Tool Set 91pcs

This 91-piece tool case is ideal for use on the move.

- Includes 91 tools
- All common tools in one case
- Dimensions: 423 x 360 x 86 mm
- For full list of contents please see website

P.Qty. 1

Art.No. 0965 93 120



LED Lamp and Torch 4W

Articulated and magnetic LED hand-held lamp in compact version.

- Ergonomic and compact design
- Dual-material non-slip coating
- 8 SMD LEDs for the lamp function and 1 SMD LED for the torch function
- Very wide illumination area and rear hook attachment
- Equipped with a torch function allowing you to light up a precise point
- Powerful magnet on the base and rear
- Li-ion polymer battery
- Battery charge status indicated by LED bars
- Supplied with mains adaptor and USB cable

Don't forget your adapter plug (0720 177 06)

P.Qty. 1

Art.No. 0827 940 600



Gas Soldering and Heat Gun WGLG 100

Can be used as a soldering iron for terminals or hot air gun for heat shrink.

- Battery powered for mobile use
- Convenient Piezo ignition
- Continuously adjustable power level
- Includes safety cap

P.Qty. 1

Art.No. 0984 990 100

Butane Gas Refill 100ml

P.Qty. 1

Art.No. 0893 250 001



BONDING & SEALING

HEALTH & SAFETY

TOOLS

DRIVER PACK 12PCS

Contains everything a driver needs, stored in a neat ruck sack.

Contents:

- 1 x First Aid Kit
- 1 x Interior Cleaner 500ml
- 1 x Cockpit Care 400ml
- 1 x Screen Wash 1000ml
- 1 x Split Leather Gloves
- 1 x Mechanics Gloves
- 1 x Hi Vis Vest
- 1 x Hard Hat
- 1 x Ratchet Strap
- 1 x Retractable Knife
- 1 x LED Lamp and Torch
- 1 x Ruck Sack

Art.No. 0988 007 584





CARGO FREIGHT FORWARDERS

Würth Ire Ltd. Ballysimon Road Limerick V94 AK71 T: 00353 61 430200 F: 00353 61 412428 www.wurth.ie

All information and prices are correct at the time of going to print 8th June 2017 and may change without notice. Offers are valid from 01st July - 30th September 2017. All prices quoted are exclusive of VAT. All offers are subject to availability. While we endeavour to hold sufficient stock to meet all orders, if we have insufficient stock this item will be placed on back order(excluding discontinued/end of line or (while stocks last) for your account and delivered as soon as stock becomes available.

