

TOP PRODUCTS

AUTO & CARGO



**OVER 20,000
PRODUCTS**

ONLINE-SHOP
www.wurth.ie



1



Brake Cleaner

- Break cleaner plus has an overhead valve for 360° application and a high material compatibility with paints, plastics, seals and rubber
- Silicone free

Art. No	Size	Type	P. Qty
0890 108 7	500ml	Standard	1/24
0890 108 100	1000ml	Standard	6
0890 108 725	25ltr	Standard	1

2



Black Nitrile Gloves

- Silicone free manufacturing process
- Free of allergenic latex proteins
- Powder free

Art. No	Size	P. Qty
0899 470 370	M	100/1000
0899 470 371	L	
0899 470 372	XL	

3



Ultra 2040 Multi-Purpose Lubricant

- With PTFE and 360° valve
- Silicone free

Art. No	Size	P. Qty
0893 085 500	500ml	1/24

4



HHS 2000 Adhesive Lubricant 500ml

- High pressure resistance
- Good creep properties
- Resistant to splashed water, salt water, weak acids and alkalis
- Silicone, resin and acid free

P.Qty. 1/12

Art.No. 0893 106

5



Super RTV Silicone Black 200ml

- Excellent resistance to chemicals
- Non acidic hardening system
- Can also be used in critical areas in which the seal comes into contact with various liquids

P.Qty. 1/12

Art.No. 0893 321 10

6



Engine Flush & Cleaner 400ml

Engine flush and cleaner cleans the inside of the engine and the oil supplying system.

- Does not attack seals
- Optimises exhaust emission
- Compatible with catalytic converters
- Loosens jammed piston rings

P.Qty. 1/12

Art.No. 5861 310 400

7



Plastic Adhesive Replast®

- Quick to harden
- Excellent chemical resistance
- Solvent free

Art. No	Description	P. Qty
0893 500 5	Super Fast 50ml	1/6
0893 500 4	Universal 50ml	
0893 500 3	Fast 50ml	
0891 486	Static Mixing Tubes	25

8



Screenwash Plus

- With anti-freeze for windscreen washer systems
- Suitable for fan nozzle

Art. No	Size	P. Qty
0892 332 001	125ml	100
0892 332 850	500ml	1

9



Bond & Seal 300ml

- Approved for use with foodstuffs (ISEGA certificate)
- Long skin formation time
- Can be ground / painted
- Odour and silicone free

Art. No	Colour	P. Qty
0890 100 1	White	1/12
0890 100 3	Black	

10



HSW 100 White Grease 500ml

- Anti rust effect
- The special 360° valve permits also allows use in hard to reach places

P.Qty. 1/12

Art.No. 0893 104 500

11



Fuel Cure 330ml

Fuel moisture removal.

- 330ml is suitable for up to 100lt of fuel

P.Qty. 1/12

Art.No. 0893 568 330

12



Blue Nitrile Gloves

- Silicone free manufacturing process
- Free of allergenic latex proteins
- Powder free

Art. No	Size	P. Qty
0899 470 01	M	100/1000
0899 470 02	L	
0899 470 03	XL	

13



9.5m Ratchet Strap 4T

P.Qty. 1

Art.No. 0713 921 954

14



High Performance Dry Chain Lube 500ml

Lubricates and provides long-lasting care for motorcycle and other chains.

- Transparent, high pressure resistant, highly adhesive lubricant
- Prevents running noise and wear
- Forms a quick drying, tough elastic lubricating and protective film

P.Qty. 1/12

Art.No. 0893 015 13

15



Brake Cleaner Pump Spray Bottle Unfilled 1000ml

P.Qty. 1

Art.No. 0891 503 002



QUICK ORDERING ONLINE

- Over 20,000 products
- Order whenever you want, wherever you are
- Order by 4.30pm for next day delivery*

WURTH.IE

16



Natural Hand Cleaner 4ltr

- pH neutral
- Dispenser 0891 901

P.Qty. 1/6

Art.No. 0893 900 099

17



Universal Cleaning Cloth Orange 90pcs

- Removes extremely heavy contamination such as oils, greases, adhesive, paints, tar and lubricants thoroughly and gently
- NSF registered

P.Qty. 1/6

Art.No. 0890 900 90

18



Mirror Adhesive Tape 25mm x 25m

- UV and moisture resistant
- Resistant to ageing

P.Qty. 1

Art.No. 0894 918

19

Twist Drill Bit Assortment HSS DIN 338 Type RN 118° - 155pcs



Contains:


- 10 x - 1mm
- 10 x - 1.5mm
- 10 x - 2mm
- 10 x - 2.5mm
- 10 x - 3mm
- 10 x - 3.5mm
- 10 x - 4mm
- 10 x - 4.5mm
- 10 x - 5mm
- 10 x - 5.5mm
- 10 x - 6mm
- 5 x - 6.5mm
- 5 x - 7mm
- 5 x - 7.5mm
- 5 x - 8mm
- 5 x - 8.5mm
- 5 x - 9mm
- 5 x - 9.5mm
- 5 x - 10mm
- 5 x - 10.5mm
- 1 x - Plastic Insert
- 1 x - ORSY® Case

P.Qty. 1

Art.No. 5964 062 500



20



Cable Ties 7.8mm x 360mm

P.Qty. 100

Art.No. 0502 181

21



2ply Blue Paper Roll - 36.5cm x 365m

- Highly absorbent
- Virtually lint free
- 1000 sheets

P.Qty. 2

Art.No. 0899 900 401

22



3ply Blue Paper Roll - 37cm x 380m

- Highly absorbent
- Virtually lint free
- 1000 sheets

P.Qty. 1

Art.No. 0899 800 823

23



Rost Off Ice 400ml

High-quality rust remover with cracking effect due to extreme cooling and excellent creep properties.

- In conjunction with the cracking effect, optimum creep properties ensure excellent rust penetration
- Cools down to -45° to crack open rust
- Provides lasting protection against further corrosion
- Resin, acid & silicone free

P.Qty. 1/12

Art.No. 0893 240

24



Silicone Spray 500ml

- Ensures long lasting protection, preservation and insulation of vehicle exterior and interior plastic, rubber and metal parts, with good lubricating properties

P.Qty. 1/12

Art.No. 0893 221

25



Low Bake Masking Tape 50mm x 50m

Slightly crepe paper adhesive tape for general masking tasks.

- Heat resistant to +80°C
- The tape is also suited for painting tasks that require oven drying

P.Qty. 20

Art.No. 0992 005 0

26



Super Fast Glue 20g

- Bonds in seconds
- Easy flow cap

P.Qty. 1/100

Art.No. 0893 09

27



DPF Cleaner 400ml

- Cleaner for removing carbon and ash deposits from diesel particulate filters
- Non-flammable formulation
- Ash and metal free recipe

P.Qty. 1/12

Art.No. 5861 014 500

28



CU 800 Copper Spray/ Paste

- Temperature application range from -40°C to +1200°C for dry lubrication
- Resistant to water, diluted alkalis and diluted acids
- Silicone and AOX free

Art. No	Description	P. Qty
0893 800	Spray 300ml	1/12
0893 800 2	Paste 1kg	1/6

29



Screw Retainer 50g

Tough removable screw retainer and sealing compound, single handed dispensing system.

- Ideally suited for screw connections exposed to high stresses
- High strength can only be removed once heated up to 300°C!

Art. No	Description	P. Qty
0893 270 050	High Strength	1
0893 243 050	Medium Strength	

30



Super Quick Fresh Deodoriser

Art. No	Description	P. Qty
0893 764 520	Citrus 150ml	1/12

31



Orange Super Grip Nitrile Gloves

- Silicone free manufacturing process
- Free of allergenic latex proteins
- Powder free
- Extremely tear resistant

Art. No	Size	P. Qty
0899 470 121	M	50
0899 470 122	L	
0899 470 123	XL	

32



Unprinted Klapp Fix Number Plate Holder

One-piece system with a fold-out frame.

P.Qty. 50
Art.No. 0825 6

33



Petrol Injector Cleaner 300ml

Special cleaner for cleaning the injection system.

- Binds and neutralises acidic condensation water
- Protects against corrosion
- Removes resin like and paint like deposits in the micro range from injection valves and from the fuel distributor

P.Qty. 1/12
Art.No. 5861 111 300

34



Brake Fluid DOT 4 250ml

- For hydraulic brake systems. Prescribed for various VW/Audi, Seat and Skoda vehicles
- Meets and exceeds the specifications: SAE J 1703, 1704, FMVSS 116, DOT 3 and DOT 4
- Brake fluids can be mixed with any other commercial product that satisfies the following test requirements: FMVSS 116, SAE J 1703, 1704 or ISO 4925
- Excellent corrosion protection compared to ferrous and non-ferrous metals
- High degree of thermal stability
- Good rubber compatibility

P.Qty. 1/24
Art.No. 0892 009 25

35



Cutting Disc For Stainless Steel 1mm x 115mm

P.Qty. 1/50
Art.No. 0669 131 150

36



Speed Cutting Disc For Stainless Steel - 1mm x 76mm

- Especially for thin-walled pipes and profiles, thin metal sheets, bodywork panels etc.

P.Qty. 1/50
Art.No. 0664 130 761

38



Petrol Treatment 300ml

For all petrol engines with and without a catalytic converter.

- Cleans the fuel system
- Reduces fuel consumption thanks to exact fuel preparation
- E10 suitability
- Protects from water occurring in fuel tank due to the hygroscopic property of E10 fuel
- Prevents corrosion
- Cleans deposits in the fuel system

P.Qty. 1/12
Art.No. 5861 101 300

39



Bonded Cutting Disc - 1mm x 115mm

P.Qty. 50
Art.No. 0669 231 150

37



Rost Off Black Rust Remover 500ml

Highly effective graphite-based rust remover, which can be used as rust remover, lubricant, corrosion protection, and cleaner.

- Loosens and lubricates seized up, corroded connections
- Forms a pressure-resistant lubricating film
- Resistant to temperatures from -30°C to 450°C (emergency running properties due to graphite)
- Excellent lubricating effect even in damp environments

P.Qty. 1/12
Art.No. 0890 200 500

40



EP2 Multi Purpose Grease 400g

Lithium soap, high pressure resistant graphite grease with EP additives.

- Highly pressure resistant thanks to EP additive
- Excellent running properties thanks to graphite
- Good sealing effect and corrosion resistance
- Silicone and resin free

Art. No	Description	P. Qty
0893 870 004	Multi Purpose Grease	1/12
0986 00	Hand Lever Grease Gun	1

41



HHS Lube 500ml

EP long-life spray grease with a high protective factor against weathering and environmental influences.

- Ideal for open lubrication outdoors
- Outstanding corrosion protection
- Lubricant does not wash off
- Outstanding noise and vibration damping

P.Qty. 1/12

Art.No. 0893 106 5

42



Cleaning Cloth Mixed Colour 10kg

P.Qty. 1

Art.No. 0899 800 224

43



Oil Binding Cloth 100pcs

For absorbing oils and chemicals.

- Retention capacity is 25 times that of its own weight
- Extremely absorbent without running
- Only absorbs oils and carbon-based liquids (oleophilic)
- Hygienic and safe

P.Qty. 1

Art.No. 0899 900 210

44



Heat Shrink Crimp Butt Connector

- 40% quicker shrinking behaviour
- Low shrinking temperature of +100 °C

Art. No	Description	P. Qty
0555 516 1	Red 0.5-1.5mm ²	25
0555 516 2	Blue 1.5-2.5mm ²	

45



Pipe Seal Medium Strength 50g

- For sealing all metallic pipe couplings and fittings with conical/cylindrical threads in line with DIN 2999

P.Qty. 1

Art.No. 0893 577 050

46



H7 Halogen Bulb 24v

- Volts: 24
- Watts: 70
- Fitting: Px26d
- BS Ref: 474

P.Qty. 1/10

Art.No. 0720 114 2

47



Fifth Wheel Grease 12.5kg

Lubricating grease for fifth wheel couplings with high pressure resistance.

- Outstanding adhesion on cast iron or sheet steel fifth-wheels
- Easy removal
- Completely insoluble in water

P.Qty. 1

Art.No. 0893 105 125

48



Compressed Air Spray 200ml

P.Qty. 1/24

Art.No. 0893 620 200

50



Spill Kit 13pcs

- 450 x 380mm sheet
- For oil, water, anti-freeze and many other liquids

P.Qty. 100

Art.No. 0899 900 295

49



Speed Cutting Disc for Steel 1mm x 115mm

- For thin walled pipes and profiles, thin metal sheets, motor vehicle body sheets
- Extreme cutting capacity with very long service life
- Extremely thin for precise, virtually burr and chatter-free cuts
- Very comfortable operation available to protect the user and machine

P.Qty. 1/25

Art.No. 0664 101 150

51



Active Glass Cleaner 500ml

- Foaming formulation
- Cleans glass and smooth surfaces
- Active ingredients lifts dirt from surfaces

P.Qty. 1/12

Art.No. 0890 25



52



Underseal 1000ml

- Bitumen based
- Quick drying
- Cannot be over painted

P.Qty. 1/12

Art.No. 0892 072

53



Tool Case with 91 Tools

Contains:

- ZEBRA combination wrench, 11 parts: 8 - 22mm
- Combination pliers 180mm
- Hammer 400g
- Water pump pliers 250mm
- Voltage tester 3.0 mm, 150 - 250 V
- ZEBRA 1/4 inch ratchet 135mm
- ZEBRA 1/4 inch cardan joint
- ZEBRA 1/4 inch extension 50 + 100mm
- ZEBRA 1/4 inch socket wrench inserts, 12 pieces: 4 - 14mm
- ZEBRA 1/2 inch ratchet, 25mm
- ZEBRA 1/2 inch cardan joint
- ZEBRA 1/2 inch extension, 125, 250mm
- ZEBRA 1/2 inch socket wrench insert, 19 pieces: 10 - 32mm
- ZEBRA 1/4 inch square screwdriver
- ZEBRA slotted screwdriver, 0.6 x 3.5 x 100mm, 1.2 x 6.5 x 150mm
- ZEBRA PH 1, PH 2 screwdrivers
- 1/4 inch bit adapter

Bit assortment, 30 pieces:

- 1 x AW 10, 25, 30/hexagon socket 3, 4, 5mm/TX 15, 40 1 x slotted 4.5 x 0.6; 5.5 x 0.8; 6.5 x 1.2mm 2 x AW 20/PH1, 2/PZ1/TX 10, 20, 25, 30 3 x PZ 2 1 x bit holder, 51mm

P.Qty. 1

Art.No. 0965 93 120

54



Rost Off Plus 300ml

High-quality rust remover, lubricating effect with the latest additive technology OMC2.

- Optimum creeping properties ensure outstanding rust penetration and excellent rust removal
- Corrosion-protection additives for optimum corrosion protection
- Resin, acid and silicone free

P.Qty. 1/24

Art.No. 0890 200

55



Brake Fluid DOT4 5Ltr

P.Qty. 1/10

Art.No. 0892 009 5

57



Cockpit Care Spray 400ml

- Citrus fragrance
- Leaves satin gloss

P.Qty. 1/24

Art.No. 0890 222 1

56



Brake Fluid DOT4 Tester

P.Qty. 1

Art.No. 0715 53 200

58



Twist Drill Bit Box HSS DIN 388 Type RN 19pcs

- Cold-formed assembly drill bits for working in steel, tip angle 118°
- 1mm-10mm

P.Qty. 1

Art.No. 0625 01

59



Thin Walled Heat Shrink Hose Assortment 130pcs

Shrink rate 2:1 without internal adhesive.

Contents:

- 20 x 2.4-1.2mm, 20 x 3.2-1.6mm, 20 x 4.8-2.4mm, 20 x 6.4-3.2mm, 20 x 9.5-4.8mm, 10 x 12.7-6.4mm, 10 x 19.9-5mm, 10 x 25.4-12.7mm, 1 x Plastic Insert, 1 x ORSY® Case

P.Qty. 1

Art.No. 5964 077 100

60



Oil Binding Granulas 10kg

- Highly effective, quick-acting oil binding granules for universal use (type III/R).

P.Qty. 1

Art.No. 0890 61

TOP PRODUCTS AUTO & CARGO


Würth Ireland Ltd
Ballysimon Road
Limerick
Ireland

T: +353 61 430 200
F: +353 61 412 428
E: wurthlk@wurth.ie
www.wurth.ie

 /WürthIreland
 /wurth-ireland-ltd
 /wurthireland
 /wurth_ireland

All information and prices are correct at the time of going to print 25th November 2018 and may change without notice. While we endeavour to hold sufficient stock to meet all orders, if we have insufficient stock this item will be placed on back order (excluding discontinued/end of line or (while stocks last) for your account and delivered as soon as stock becomes available. Some products are delivered directly from Germany and may take 3-5 days to arrive. For full delivery terms visit us online.

THE GLOBAL LEADERS IN WHEEL SAFETY



Checkpoint®

**Available at
wurth.ie**