

STORAGE MANAGEMENT



**OVER 20,000
PRODUCTS**

ONLINE-SHOP
www.wurth.ie



ORSY® SCAN INSIDE!

See pages 8 - 9

CONTENTS

4 - 5	Orsy® outline
6 - 7	Stick&Go and ORSY® scanner
8 - 9	ORSY® scanner
10 - 11	Your ORSY® system case
12	Corner components
12 - 14	Standard components
14 - 15	Components with drawers
16	Components for chemical articles
17	Tower systems
18	ORSY10 reel system
19 - 20	Finishing components
21	Drawer / drawer inserts
22	Cabinets
23	Other / mobile components
24 - 25	Perforated plate system
26 - 27	Storage boxes & accessories
28 - 29	Bar system
30	Orsy racking accessories
31	Würth Group





HOW YOUR ORSY® SHELVING SYSTEM COULD LOOK!



FOR BETTER ORGANISATION!

We supply a variety of matching inserts for the drawers. In this way, everything has a permanently assigned place.



There is a variety of ORSY® components available for your individual requirements.

Each component fulfils a specific purpose. Take a look at a selection from the many options that the ORSY® shelving system offers:

1. Components for threaded rods
2. Shelves for ORSY® cartons
3. Components for cutting discs and rough grinding discs
4. Open shelves for large packages, bottles, pails and other bulk containers
5. Adapter plates for dispenser systems or assortments
6. Shelves for aerosol cans
7. Swivel shelves for canisters, 5 and 20 litre
8. Shelves for cartridges, such as silicone, adhesives and sealants
9. Joint elements to protect the goods against dust
10. Shelves for storage boxes
11. Pull-out drawer components for ORSY® system cases

Don't forget to check out our helpful ORSY® scanner for your shelving system!



For more information see pages 8-9

ORSY® PACKAGING

An outstanding product starts with the packaging...

- Extremely sturdy and rugged
- A chute integrated in the lid provides for fast, simple access
- A large viewing window for visual recognition
- Simple disposal
- Removable, self-adhesive Stick & Go label to identify the storage space



STICK & GO PACKING LABEL

Informative, organised, practical and up-to-date: Stick & Go, the intelligent packing label from Würth!

- Clear information structure
- Quick, up-to-date and correct labelling of storage spaces
- Use of labels in mobile storage spaces
- Barcode for simple recording using a scanner
- Colour-coded system on the labels of screws always guide you correctly to the matching bit



BARCODE READER – ORSY® SCANNER

Ordering is simple

Benefits at a glance:

- No time-consuming, fault-prone manual entering of the item data. Modern laser technology enables fast, easy, contactless scanning of the barcode.



Labels for Orsy® scanner online shop Art. No. 0962 210 203

Sticky labels for orsy scan online shop, barcodes and information prints directly to the sheet from the online store

Magnetic strip for Orsy® labels Art. No. DNLE 000 025

Magnetic and easily changeable Würth labelling system

Read on for more information about
our Orsy® Scanner



BARCODE READER – ORSY® SCANNER

We're your warehouse clerk!

Art.No. 0961 900 307

How it works

Step 1

- Unpack and plug in
- Dispatched from our warehouse, ready to go.
- It requires a single USB port which is used for both data transfer and to keep the internal rechargeable battery charged so ORSY®scan is always ready for use

Step 2

- Press the + button to turn on
- Scanner will beep twice
- Press the + button to scan barcodes
- Simple and easy one button operation means you can use the ORSY®scan to scan the ORSY® racking shelf barcodes, the products themselves or we can supply a booklet containing easy reference barcodes for quick and efficient ordering

Step 3

- Dock the scanner in the desk dock
- Press the + button to upload the scanned articles into eShop
- With no searching or typing your articles are quickly loaded into the eShop

Step 4

- Place order or create inventory list
- As well as a quick and easy ordering tool you can use orsy scan to create an inventory list making stock taking of Wurth products a painless process



*** Note: Can only be used on a Windows PC**



Your benefits at a glance

Simple, ergonomic and rechargeable

- Light and easy to handle, the scanner has just two buttons to add or remove products to the list
- ORSY®scan charges via USB when docked so it's always ready to use

Visual and audible scan confirmation

- Scanning is confirmed with a beep and light to minimise the risk of errors even in noisy environments

Quick and easy ordering

- Simply dock and go; with no searching or typing your articles are quickly loaded into the eShop with a single button press

Simple stock taking

- As well as a quick and easy ordering tool you can use ORSY®scan to create an inventory list making your stock taking a painless process

Cost centre assignment

- For improved overview and transparency, if desired, the ORSY® scanner can also be adapted to your internal processes, by assigning cost centres / order numbers, part numbers or delivery addresses

ORSYscan

Labels for Orsy® scanner online shop Art. No. 0962 210 203

Sticky labels for orsy scan online shop, barcodes and information prints directly to the sheet from the online store

Magnetic strip for Orsy® labels Art. No. DNLE 000 025

Magnetic and easily changeable Würth labelling system

YOUR ORSY® SYSTEM CASE: YOUR ENTRY INTO A WHOLE NEW SYSTEM WORLD.

ORSY® puts the world in order.

Do you need small parts, machines and tools on a daily basis for your work? Do you ask yourself: "Do I really have everything I need for today?" Or do you have too much to carry? Are you tired of wasting time anxiously gathering everything together? Then, the system case is your organising tool. You will then have an overview. You will have everything you need and always be ready to work. Put together everything you need.

Fits anywhere. Fits anything.

Focus on organising the future, and benefit from it, particularly in terms of time, money and skill. The ORSY® system is handy, versatile and practical for your warehouse, workshop, vehicle and on the construction site. Enter the ORSY® system world now. Innovations always create opportunities. Grow with ORSY®. Since we are always close by: Close, closer, Würth.



ORSY1 shelving system
Item no. 0961 xxx



MACHINES, TOOLS, SMALL PARTS



PARTITION EQUIPMENT



ORSY SYSTEM CASE



Vehicle interior equipment
Item no. 0963 xxx xxx

STORAGE AND TRANSPORT

ORSY system stacking cabinets
Item no. 5581 040 xxx




ORSY BULL system box
Item no. 0962 330 xxx

WÜRTH SERVICES

- Click & collect
- Master service
- ORSY scanner
- Product finder
- Würth app
- And many other service components

ORSY® 1 SHELF SYSTEM


CORNER COMPONENTS



Corner Shelf Base
Art. No. 0961 902




For large packages, cartons etc.



Corner Compartment Shelf
Art. No. 0961 903



For large packages, cartons, spray and pump spray bottles etc.



Corner Top Section
Art. No. 0961 904



Shelf cover. Not suitable for use as a shelf.



STANDARD COMPONENTS



Bottom Section
Art. No. 0961 91



For large packages, cartons etc.



Single-Compartment Shelf
Art. No. 0961 940 004



For e.g. cans, buckets, high packages, spray cans, pump spray bottles, large containers etc.

ORSY® 1 SHELF SYSTEM


STANDARD COMPONENTS



Double-Compartment Shelf
Art. No. 0961 950



For large packages, cartons or loose merchandise. With grids for subdivision with partition panels.




Partition Panel for double-comp. shelf Anthracite
Art. No. 0961 050 043



Shelf unit
Art. No. 0961 93
For large and small dispenser cartons



For ORSY® cartons. The sturdy and practical Würth standard package for all DIN and standard parts, anchors, small parts etc.



Compartment Shelf for storage boxes of size 2
Art. No. 0961 932 0



For four storage boxes of size 2. (Storage boxes supplied at additional costs)



Compartment Shelf for storage boxes of size 3
Art. No. 0961 933 0



For six storage boxes of size 3. (Storage boxes supplied at additional costs)



Compartment Shelf for storage boxes of size 4/5
Art. No. 0961 934 5



For 24 storage boxes of size 4 or 36 storage boxes of size 5. (Storage boxes supplied at additional costs)

ORSY® 1 SHELF SYSTEM

STANDARD COMPONENTS



Cabinet Compartment
Art.No. 0961 937 004



Lockable. Internal dimensions:
485 x 325 x 330mm (W x D x H).

COMPARTMENTS WITH DRAWERS



Small Part Magazine
Art. No. 0961 972 0



Drawer: 225 x 250 x 55 mm
(W x D x H). Max. load 1 kg per
drawer. For the storage of e.g.
automotive lamps, electrical
connectors etc. With eight partition
element sets.



**Partition Elements for
drawers**
Art. No. 0961 050 024



Drawer for small magazine
Art. No. 0961 050 042



Each is comprised of one lengthwise
and one cross wise element.



Sleek plastic design.

ORSY® 1 SHELF SYSTEM

COMPARTMENTS WITH DRAWERS



Four-Drawer Unit
Art. No. 0961 92



Six-Drawer Unit
Art. No. 0961 920 6




Lockable. For assortments, small parts, tools and machines. Six drawers, internal dimensions of drawer: 465x335x115 mm (WxDxH).



10-Drawer Unit
Art. No. 0961 921 0



Lockable. For assortments, small parts, tools and machines. 10 drawers, internal dimensions of drawers (WxDxH): 8x 465x335x55 mm, 2x 465 x 335 x115 mm.



Partition Panel for drawers 115mm
Anthracite
Art. No. 0961 050 025



12-Drawer Unit
Art. No. 0961 921 2



Lockable. For assortments, small parts, tools etc. 12 drawers, internal dimensions of drawer: 465x335 x55 mm (Wx Dx H).

FORGETMENOT.



NEVER RUN OUT OF PARTS WITH THE ORSY® SCANNER.



**100% SYSTEM.
0% STRESS.**

More information on pages 8 - 9

ORSY® 1 SHELF SYSTEM

COMPONENTS FOR CHEMICAL ARTICLES



Compartment Shelf for 500ml cans
Art. No. 0961 940 007



With six holding racks for cans with a fill amount of 500 ml or more.



Double-Compartment Shelf for 300ml cans
Art. No. 0961 940 005



With 12 holding racks for cans with a fill amount up to 300 ml.



Compartment Shelf for cartridges
Art. No. 0961 940 006



With eight holding racks for cartridges with a fill level of 310 ml.



Swivelling Compartment for 5 L canisters
Art. No. 0961 940



For easy filling from 5 L canisters.
For three canisters.



Swivelling Compartment for REFILLO® 20 L canister
Art. No. 0961 940 1



For easy filling from canisters.
For a REFILLO® 20 L canister.



Compartment Shelf for cartridges
Art. No. 0961 960 5



With four storage levels for holding cartridges and bags with fill amounts of 310 ml. Thanks to this arrangement, the first articles stocked are also the first ones removed (FIFO). Helps prevent excess inventory!

ORSY® 1 SHELF SYSTEM


TOWER COMPONENTS



Height	1810
Depth	345
Width	540

Adaptor Panel

Art.No. 0961 910 00



Tall fastener unit

Art. No. 0961 913



Height	190
Depth	265
Width	540

Bracket for packages with European holes.

Art. No. 0961 911 02



Depth	345
Width	530

Bracket for e.g. spiral hoses.

Art. No. 0961 910 04



Height	100
Depth	340
Width	530

Compartment Shelf

Art. No. 0961 910 01

ORSY® 1 SHELF SYSTEM

PICK, MIX AND CUSTOMISE YOUR OWN ORSY10 REEL SYSTEM

ORSY10

Easy dispensing of reel system products.
Fits onto **ORSY1** system or can be wall mounted.


Modular System

Mix and match adaptability

Assembled to meet your requirements.
Individual stock combinations possible.
No overstocking.

Maintenance

Carried out free of charge.



ORSY10 Dispenser Large - Art. No. 0956 109 0

*Products not included

Washer Hose
Art.-Pre.No.
0895 ...

Electrical Cable
Art.-Pre.No.
0770 ...

Heat Shrink
Art.-Pre.No.
0771 8..

Emery Cloth
Art.-Pre.No.
0674 8..

Electrical Cable
Art.-Pre.No.
0770 ...

ORSY10 Dispenser Small - Art. No. 0956 109

*Products not included



Grinding Fleece
Art.-Pre.No.
0585 805 ...

Fuel Hose
Art.-Pre.No.
0895 8..


Production Paper
Art.-Pre.No.
0574 86 ...

Fits: 0961 910



ORSY® 1 SHELF SYSTEM

FINISHING COMPONENTS



Cover
Art. No. 0961 930 0




Shelf top.
Not suitable for use as a shelf.



Podium Compartment
Art. No. 0961 937 020




Reading podium with lockable compartment.



Small Adapter Panel
Art. No. 0961 910



For universal roll-off systems, hose clamps and linch pin and spring cotters.



Compartment for cut off and roughing wheels
Art. No. 0961 910 2



Reading podium with lockable compartment.



Component for circular saw blades
Art. No. 0961 910 1



For up to six saw blades. Easy storage and removal are made possible by the individually swivelling hooks.


**GO ONLINE TO MAKE YOUR
BARCODE CATALOGUE NOW!**



AT WURTH.IE

ORSY® 1 SHELF SYSTEM

FINISHING COMPONENTS



Component for threaded rods
Art. No. 0961 99



For the storage of threaded rods and/or other long objects.



Wall Bracket for system cases
Art. No. 5581 039 000



Convenient mounting, works with the perforated plate system on Orsy® racking
Fits cases: 4.4.X, 8.4.X
(works with 0961 91)

DRAWER / DRAWER INSERTS



Draw component for 3 system cases
Art. No. 0961 925 001

Reduces search times - easy storage - avoids missing parts



Draw component for 4 system cases
Art. No. 0961 925 002

Reduces search times - easy storage - avoids missing parts



Draw component for 5 system cases
Art. No. 0961 925 003

Reduces search times - easy storage - avoids missing parts

ORSY® 1 SHELF SYSTEM

DRAWER / DRAWER INSERTS



10 drawer unit
Art. No. 0961 921 2



12 drawer unit
Art. No. 0961 921 0



4 drawer unit
Art. No. 0961 92



Deep-Drawn Insert (two per drawer)

Fig.	No. of comp	Comp.size (W x D x H) in mm in mm	Art. No.	P.Qty
1	4	145x105x48	0955 800 41	1
2	5	55x210x48	0955 806 500	
3	6	38x145x30 46x195x30 38x370x30 32x300x30 38x195x30 34x105x30	0955 806 502	
4	8	72x105x48	0955 808 1	

5	12	95x50x48	0955 801 21	
6	16	72x50x48	0955 801 61	
7	12	45x65x48	0955 801 81	
8	20	30x155x48 30x140x48 30x130x48 30x120x48 30x109x48 30x100x48 30x88x48 30x78x48 30x66x48 30x53x48	0955 802 01	

ORSY® 1 SHELF SYSTEM

CABINETS



Shelf Cabinet, width: 588mm

Art. No. 0961 937 001



For machines, tools, work safety articles etc. Rear wall with perforations suitable for hooks and brackets from the perforated panel system. With four compartment shelves and lock with turning bolt. External dimensions (W x D x H): 588 x 470 x 1,555 mm Internal dimensions (W x D x H): 540 x 440 x 1,475 mm With four partition panels.



Shelf Cabinet, width: 1,170mm

Art. No. 0961 930 050

For machines, tools, work safety articles etc. Rear wall with perforations suitable for hooks and brackets from the perforated panel system. With two compartment shelves and lock with turning bolt.



Partition Panel for shelf cabinets

Anthracite

Art.No. 0961 050 038



Compartment Shelf for cabinet of size 588mm

Galvanized

Art.No. 0961 050 039

ORSY® 1 SHELF SYSTEM

OTHER COMPONENTS



60 L Barrel Shelf

Art. No. 0961 914

For two 60 L barrels. The galvanized catch tray is suitable for flammable liquids. Factory inspection certificate is included with the catch tray and must be retained.

External dimensions of tray (Wx Dx H): 390 x 710 x 250 mm Plate thickness: 3 mm.



DON'T FORGET YOUR ORSY® SCANNER

More information on pages 8 - 9

MOBILE COMPONENTS



Electrical Cart, empty

Art. No. 0961 955 8



Ideal for assortments from the electrical field in conjunction with tools and cable roll-off systems.



Mobile Maintenance Cart

Art. No. 0961 989 0




Ideal for products from our vehicle detailing line.

ORSY® 1 SHELF SYSTEM

PERFORATED PLATE SYSTEM



Perforated plate system
Art. No. 0960 050 021



Perforated plate system
Art. No. 0960 050 023



**Perfect for our
Hook-On Rail
System!**
See page 29 for details

HOOKS & STORAGE



Hook - dia. 6mm
P.Qty. 5
L. 50mm
Art. No. 0960 050 110

L. 75mm
Art. No. 0960 050 111

L. 100mm
Art. No. 0960 050 112

L. 150mm
Art. No. 0960 050 113



Double Hook - dia. 6mm
P.Qty. 5
L. 50mm
Art. No. 0960 050 120

L. 75mm
Art. No. 0960 050 121

L. 100mm
Art. No. 0960 050 122

L. 150mm
Art. No. 0960 050 123



Pliers Holder
Depth x Dia. 155 x 6mm
Plate W x D: 60 x 60mm
Art. No. 0960 050 182



Wrench Holder 145 x 180mm
Art. No. 0960 050 181

FORGETMENOT.



**100% SYSTEM.
0% STRESS.**

With the ORSY® scanner, you collect the barcodes of all outgoing consumables and input the order directly into the PC. This saves time, makes work easier and reduces process costs. Or, in other words: 100% system, 0% stress.

ORSY® 1 SHELF SYSTEM



Round Holder - 60 x 60mm
Dia. 60mm

Art. No. 0960 050 145

Dia. 80mm

Art. No. 0960 050 146




Screwdriver Holder - 100 x 185mm

Art. No. 0714 938 218



Storage Compartment -
W x H x H(front): 450 x 115
x 30mm

Art. No. 0960 050 170



Saws bracket

Art. No. 0960 050 180

Utilities for perforated plate



U Bracket

40 x 20 x 4mm

Art. No. 0960 050 140

60 x 20 x 4 mm

Art. No. 0960 050 141



40 x 75 x 6mm

Art. No. 0960 050 142

Utilities for perforated plate



ORSY® 1 SHELF SYSTEM

STORAGE BOX

	Art. No.	P. Qty.	Size	Length (L1)	Width (B2)	Height (H2)	Internal width (B1)	Height (from floor to stacking rim)	Length (internal base) (L3)	Colour
	0962 211 011	1	1	489 mm	304 mm	185 mm	280 mm	172 mm	425 mm	Red
	0962 211 012	1	1	489 mm	304 mm	185 mm	280 mm	172 mm	425 mm	Blue
	0962 211 013	1	1	489 mm	304 mm	185 mm	280 mm	172 mm	425 mm	Green
	0962 211 014	1	1	489 mm	304 mm	185 mm	280 mm	172 mm	425 mm	Yellow
	0962 211 015	1	1	489 mm	304 mm	185 mm	280 mm	172 mm	425 mm	Grey
	0962 211 021	1	2	335 mm	209 mm	152 mm	191 mm	139 mm	293 mm	Red
	0962 211 022	1	2	335 mm	209 mm	152 mm	191 mm	139 mm	293 mm	Blue
	0962 211 023	1	2	335 mm	209 mm	152 mm	191 mm	139 mm	293 mm	Green
	0962 211 024	1	2	335 mm	209 mm	152 mm	191 mm	139 mm	293 mm	Yellow
	0962 211 025	1	2	335 mm	209 mm	152 mm	191 mm	139 mm	293 mm	Grey
	0962 211 031	1	3	230 mm	150 mm	130 mm	130 mm	118 mm	192 mm	Red
	0962 211 032	1	3	230 mm	150 mm	130 mm	130 mm	118 mm	192 mm	Blue
	0962 211 033	1	3	230 mm	150 mm	130 mm	130 mm	118 mm	192 mm	Green
	0962 211 034	1	3	230 mm	150 mm	130 mm	130 mm	118 mm	192 mm	Yellow
	0962 211 035	1	3	230 mm	150 mm	130 mm	130 mm	118 mm	192 mm	Grey
	0962 211 041	1	4	161 mm	105 mm	75 mm	89 mm	63 mm	137 mm	Red
	0962 211 042	1	4	161 mm	105 mm	75 mm	89 mm	63 mm	137 mm	Blue
	0962 211 043	1	4	161 mm	105 mm	75 mm	89 mm	63 mm	137 mm	Green
	0962 211 044	1	4	161 mm	105 mm	75 mm	89 mm	63 mm	137 mm	Yellow
	0962 211 045	1	4	161 mm	105 mm	75 mm	89 mm	63 mm	137 mm	Grey
	0962 211 051	1	5	90 mm	102 mm	50 mm	88 mm	44 mm	68 mm	Red
	0962 211 052	1	5	90 mm	102 mm	50 mm	88 mm	44 mm	68 mm	Blue
	0962 211 053	1	5	90 mm	102 mm	50 mm	88 mm	44 mm	68 mm	Green
	0962 211 054	1	5	90 mm	102 mm	50 mm	88 mm	44 mm	68 mm	Yellow
	0962 211 055	1	5	90 mm	102 mm	50 mm	88 mm	44 mm	68 mm	Grey

ORSY® 1 SHELF SYSTEM


STORAGE BOX ACCESSORIES



Lid
25.000g
 Art. No. 0962 210 154

73.800g
 Art. No. 0962 210 153

180.000g
 Art. No. 0962 210 152



Divider
 P. Qty. 10
Long
 Art. No. 0962 210 121

P. Qty. 10
Short
 Art. No. 0962 210 142




Storage Box Labels
 P. Qty. 280
40 x 80mm
 Art. No. 0962 210 202

P. Qty. 480
23 x 80mm
 Art. No. 0962 210 203


Sticky labels easy to apply




ORSY® 1 SHELF SYSTEM




Material		ABS			
System dimensions	Width	Depth	Height	Item no.	PU/qty.
1.1.1	57 mm	82 mm	55 mm	5581 035 001	1
2.1.1	114 mm	82 mm	55 mm	5581 035 002	1
2.1.2	114 mm	82 mm	110 mm	5581 036 002	1
2.2.1	114 mm	167 mm	55 mm	5581 035 003	1
2.2.2	114 mm	167 mm	110 mm	5581 036 003	1
2.4.1	114 mm	334 mm	55 mm	5581 035 012	1
2.4.2	114 mm	334 mm	110 mm	5581 036 012	1
8.1.1	462 mm	82 mm	55 mm	5581 035 011	1
8.1.2	462 mm	82 mm	110 mm	5581 036 011	1




5581 035 001




5581 035 002




5581 036 002




5581 035 003




5581 036 003




5581 035 012



5581 036 012



5581 035 011



5581 036 011



Label section

A variable compartment for orderly storage and retrieval of various small parts.

The system boxes can be individually combined with all system dividers.

- Compatibility thanks to modular dimensions
Product dimensions based on modular system, which allows the boxes to be arranged individually in the system case
- Secure connection in the system case
 - Grid feet fix the boxes to the case floor, holding them in position
 - The transparent lid prevents the contents from becoming muddled up
- Individually adjustable
Boxes can be further divided individually using partition elements
- Can also be used on workshop walls or mounting stations
A groove allows the box to be hung on mounting rails
- Simple identification of box contents
Integrated, slightly offset label section

To be used with the system boxes

System box partition element

For individual partitioning in system boxes.
Ideal for orderly storage and retrieval of small parts.

System dimensions	Width x depth x height (external dimension)	Item no.	PU/qty.
2.x.1	110 x 15 x 45 mm	5581 035 021	4
2.x.2	110 x 15 x 98 mm	5581 036 021	4
x.1.1	70 x 8 x 45 mm	5581 035 020	4
x.1.2	70 x 8 x 98 mm	5581 036 020	4




ORSY® 1 SHELF SYSTEM


System hook-on rail




Positioning of the system box at a 90° angle and a 45° angle



Positioning of the system box at a 90° angle



Positioning of the system box at a 45° angle



Label section in the boxes

For mounting system boxes

- Capable of bearing loads up to 25 kg (depending on the fastenings)
Multiple system boxes can be positioned.
- Can be adjusted to the current mounting situation
 - The system boxes can be positioned at two angles: straight and at a 45° angle
 - System boxes can be slid horizontally on rails
- Flexible attachment of hook-on rail
 - On perforated plate system
 - On workshop trolley
 - On worktops
 - On masonry or other walls



Surface		Powder-coated	
Product weight (per unit)	Width x depth x height	Item no.	PU/qty.
487 g	495 x 20 x 35 mm	5581 039 001	1
971 g	990 x 20 x 35 mm	5581 039 002	1

ORSY® 1 SHELF SYSTEM

ORSY RACKING ACCESSORIES



Empty cable tie dispenser

Art. No. 0502 050 20

Keeps cable ties organised within the Orsy racking structure



Orsy Banner for Orsy racking

Art. No. 0961 002 002

Comes with clips to easily apply to racking



WÜRTH – THE ASSEMBLY PROFESSIONALS

Active throughout the world in the field of assembly and fastening systems, with an annual turnover of more than 7.75 billion Euros (10 billion US dollars) and employing over 63,000 people.



More than 2.9 million customers worldwide



Würth consultancy competence

Würth places special value on contact with the customer. Würth, the assembly professionals – inconceivable without daily contact and the exchange of ideas with trade professionals

The Würth Group
...is active in 86 countries.

Würth is quality
Approximately 220 employees ensure our high claim to quality in our own laboratories.

More than 2.9 million customers worldwide
Trust in us and enable our top position on the assembly technology market.



STORE MANAGEMENT

Würth Ireland Ltd
Ballysimon Road
Limerick
Ireland

T: +353 61 430 200
F: +353 61 412 428
E: wurthlk@wurth.ie
www.wurth.ie

 /WürthIreland
 /wurth-ireland-ltd
 /wurthireland
 /wurth_ireland

All information is correct at the time of going to print and may change without notice. While we endeavour to hold sufficient stock to meet all orders, if we have insufficient stock this item will be placed on back order (excluding discontinued/end of line or (while stocks last) for your account and delivered as soon as stock becomes available.

